

承 認 書 SPECIFICATION FOR APPROVAL

客戶名稱 CUSTOMER	:		
客戶料號 CUSTOMER'S P/N	:		
料號 PART NUMBER	: <u>WAN3216FD</u>	27H08	
規格 DESCRIPTION	: Chip Antenna 3	216 M-Ant 2.45G	+5G +7G Type H08
版本 VERSION	: <u>V1.1</u>		
日期 ISSUE DATE	: 2023/06/14		KD,
		X	
	CU	客户承認 STOMER APPROVI	ED
	3	工 程 部 R&D CENTER	
ane	承 認 APPROVAL	確 認 CHECKED	製 作 DRAWN
	Ray	Tennyson	Snow





萬誠科技股份有限公司

112 台北市北投區立功街 151 號 1 樓

電話: (02) 2898-2220 傳真: (02) 2898-5055

OneWave Electronic Co., Ltd.

1F, No. 151, Li Gong Street, Beitou District,


Taipei City 112, Taiwan TEL: +886 2 2898-2220

FAX: +886 2 2898-5055



3216 Chip antenna

For WI-FI 6E Applications



P/N: WAN3216FD27H08

	Dimension (mm)		
L	3.23 ± 0.20		
W	1.66 ± 0.20		
Т	0.65 ± 0.20		



Part Number Information

WAN 3216 F D27 H 08
A B C D E F

Α	Product Series	Antenna	
В	Dimension L x W	3.2X1.6mm (+-0.2mm)	
С	Material	High K material	
D	Working Frequency	2.4 ~ 2.5GHz + 5.15~5.85GHz+	
		5.925~7.125GHz	
E	Feeding mode	Monopole & Single Feeding	
F	Antenna type	Type = 08	

1. Electrical Specification


Specification			
WAN3216FD27H08			
×2450 / 5550 / 6525	MHz		
100 / 700 / 1200(Min.)	MHz		
-6 (Max)	dB		
2.31 / 3.37 / 4.22	dBi		
50	Ohm		
-40~+110	$^{\circ}$ C		
4	W		
10 (@ 260°C)	sec.		
Linear			
Omni-directional			
Cu / Sn (Leadless)			
	WAN3216FD27H08 2450 / 5550 / 6525 100 / 700 / 1200(Min.) -6 (Max) 2.31 / 3.37 / 4.22 50 -40~+110 4 10 (@ 260°C) Linear Omni-directional		

Remark: Bandwidth & Peak Gain was measured under evaluation board of next page



2. Recommended PCB Pattern


Evaluation Board Dimension



Suggested Matching Circuit


重要資訊:

匹配元件建議使用精準**受**高的電感±0.1~0.3nH、電容±0.1pF






♦ Layout Dimensions in Clearance area (Size=8.0*7.3mm)






3. Measurement Results


Return Loss








	Efficiency	Peak Gain	Directivity
2400MHz	63.28 %	2.17 dBi	4.15 dBi
2450MHz	65.59 %	2.31 dBi	4.14 dBi
2500MHz	64.67 %	2.23 dBi	4.12 dBi




	Efficiency	Peak Gain	Directivity
5150MHz	72.35 %	3.32 dBi	4.72 dBi
5550MHz	74.26 %	3.37 dBi	4.66 dBi
5850MHz	73.47 %	3.35 dBi	4.68 dBi





	Efficiency	Peak Gain	Directivity
5925MHz	76.41 %	4.13 dBi	5.29 dBi
6525MHz	78.33 %	4.22 dBi	5.28 dBi
7125MHz	77.58 %	4.17 dBi	5.27 dBi








4. Reliability and Test Condictions


ITEM	REQUIREMENTS	TEST CONDITION	
Solderability	Wetting shall exceed 90% coverage	Pre-heating temperature:150°C/60sec.	
	2. No visible mechanical damage	Solder temperature:230±5℃	
	TEMP (℃)	Duration:4±1sec.	
	230°C 4±1 sec.	Solder:Sn-Ag3.0-Cu0.5	
	230℃ 4±1 sec.	Flux for lead free: rosin	
	150°C		
	1500		
	60sec		
Solder heat	No visible mechanical damage	Pre-heating temperature:150°C /60sec.	
Resistance	2. Central Freq. change :within ± 6%	Solder temperature:260±5°C ∧	
	TEMP (℃)	Duration:10±0.5sec.	
	10+0.5 coc	Solder:Sn-Ag3.0-Cu0.5	
	260°C 1020.3 Sec.	Flux for lead free: rosin	
	150℃		
	60sec \		
Component Adhesion	No visible mechanical damage	The device should be reflow soldered (230±5° for 10sec.) to a tinned	
(Push test)		copper substrate A dynometer force	
(1 00.1 1001)		gauge should be applied the side of the	
		component. The device must with-ST-F	
		0.5 Kg without failure of the termination	
Component	No visible mechanical damage	/attached to component.	
Component Adhesion	1. No visible mediamout damage	Insert 10cm wire into the remaining open eye bend ,the ends of even wire lengths	
(Pull test)	_\'X/	upward and wind together.	
(i all toot)	<i>λ</i> -Χ '	Terminal shall not be remarkably	
	₹. ★	damaged.	
Thermal shock	No visible mechanical damage	+110°C=>30±3min	
	2. Central Freq. change :within ±6%	-40°C=>30±3min	
	Phase Temperature(°C) Time(min)	Test cycle:10 cycles	
	1 +110±5°C 30±3	The chip shall be stabilized at normal	
	Poom Within	condition for 2~3 hours before	
	Temperature 3sec	measuring.	
	3 -40±2°C 30±3		
	4 Room Within		
	Temperature 3sec		
Resistance to	1 No visible mechanical demage	Temperature: +110±5°C	
High	No visible mechanical damage	Duration: 1000±12hrs	
Temperature	2. Central Freq. change :within ±6%	The chip shall be stabilized at normal	
	3. No disconnection or short circuit.	condition for 2~3 hours before	
		measuring.	
Resistance to	No visible mechanical damage	Temperature:-40±5°C	
Low	2. Central Freq. change :within ±6%	Duration: 1000±12hrs	
Temperature	No disconnection or short circuit.	The chip shall be stabilized at normal	
	S. 1.5 dissolition of office off office.	condition for 2~3 hours before	
		measuring.	
Humidity	No visible mechanical damage	Temperature: 40±2°C	
	2. Central Freq. change :within ±6%	Humidity: 90% to 95% RH Duration: 1000±12hrs	
	3. No disconnection or short circuit.		
		The chip shall be stabilized at normal condition for 2~3 hours before	
		measuring.	
	1	moasumy.	



5. Soldering and Mounting

Mildly activated rosin fluxes are preferred. The minimum amount of solder can lead to damage from the stresses caused by the difference in coefficients of expansion between solder, chip and substrate. The terminations are suitable for all wave and re-flow soldering systems. If hand soldering cannot be avoided, the preferred technique is the utilization of hot air soldering tools.





Recommended temperature profiles for re-flow soldering in Figure 1.


Products attachment with a soldering iron is discouraged due to the inherent process control limitations. In the event that a soldering iron must be employed the following precautions are recommended.

- Preheat circuit and products to 150°C
- Never contact the ceramic with the iron tip
- Use a 20 wattsoldering iron with tip diameter of 1.0mm
- 280° tip temperature (max)
- 1.0mm tip diameter (max)
- Limit soldering time to 3 sec.




6.Packaging Information

♦ Tape Specification:







Tape Width(mm)	A(mm)	B(mm)	C(mm)	D(mm)	Chip/Reel(pcs)
8	9.0±0.5	60±2	13.5±0.5	178±2	3000



7.Storage and Transportation Information

Storage Conditions

To maintain the solderability of terminal electrodes:

- 1. Temperature and humidity conditions: -10~ 40°C and 30~70% RH.
- 2. Recommended products should be used within 6 months from the time of delivery.
- 3. The packaging material should be kept where no chlorine or sulfur exists in the air.

Transportation Conditions

The vale the little

- Products should be handled with care to avoid damage of contamination from perspiration and skin oils.
- 2. The use of tweezers or vacuum pick up is strongly recommended for individual components.
- 3. Bulk handling should ensure that abrasion and mechanical shock are minimized.