

承 認 書 SPECIFICATION FOR APPROVAL

| 客戶名稱 CUSTOMER | : | | | |
|------------------------|---------------------------|---------------------|--------------|---|
| 客戶料號 CUSTOMER'S P/N | : | | | ^ |
| 料號 PART NUMBER | : <u>WAN3216G2</u> | 45H01 | | |
| 規格 DESCRIPTION | Chip Antenna 3 | 216 L Ant 2.45G | Type H01 | V |
| 版本 VERSION | : <u>V1.1</u> | | | |
| 日期 ISSUE DATE | 2023/06/16 | | KD, | |
| | | XXXX | | |
| | 客戶承認 CUSTOMER APPROVED | | | |
| | | | | |
| | 2 | 工 程 部 R&D CENTER | |] |
| age | 承 認 APPROVAL | 確認 CHECKED | 製 作 DRAWN | |
| | Ray | Tennyson | Snow | |





萬誠科技股份有限公司

11261 台北市北投區立功街 151 號 1 樓

電話: (02) 2898-2220 傳真: (02) 2898-5055

OneWave Electronic Co., Ltd.


1F, No. 151, Li Gong Street, Beitou District, Taipei City 11261, Taiwan

TEL: +886 2 2898-2220 FAX: +886 2 2898-5055



3216 Chip antenna

For Bluetooth / WLAN Applications



P/N: WAN3216G245H01

| | Y // | |
|-----|-------------|----------------|
| 4 | | Dimension (mm) |
| | L | 3.23 ± 0.20 |
| | W | 1.66 ± 0.20 |
| 2) | Т | 0.45 ± 0.20 |
| CV. | | |



Part Number Information

WAN 3216 G 245 H 01
A B C D E F

| Α | Product Series | Antenna | |
|---|-----------------------|-----------------------|--|
| В | Dimension L x W | 3.2 x 1.6mm (±0.2mm) | |
| C | Material | High K material | |
| D | Working Frequency | 2.4 ~ 2.5GHz | |
| E | Feeding mode | PIFA & Single Feeding | |
| F | Antenna type | Type = 01 | |

1. Electrical Specification


| Specification | | | |
|-------------------------------|--------------------|--------------|--|
| Part Number | WAN3216G245H01 | | |
| Central Frequency | 2450 | MHz | |
| Bandwidth | 120 (Min.) | MHz | |
| Return Loss | -6.5 (Max) | dB | |
| Peak Gain | 1.78 | dBi | |
| Impedance | 50 | Ohm | |
| Operating Temperature | -40~+110 | $^{\circ}$ C | |
| Maximum Power | 4 | W | |
| Resistance to Soldering Heats | 10 (@ 260°C) | sec. | |
| | | • | |
| Polarization | Linear | | |
| Azimuth Beamwidth | Omni-directional | | |
| Termination | Cu / Sn (Leadless) | | |

Remark: Bandwidth & Peak Gain was measured under evaluation board of next page




2. Recommended PCB Pattern

Recommended PCB Pattern 若未參照我司規格書上Layout建議做設計, Evaluation Board Dimension 進而造成後續生產上的天線特性與品質差異問題,




Suggested Matching Circuit

建議使用精準度高的電感±0.1~0.3nH、電容±0.1pF






Layout Dimensions in Clearance area(Size=5.9*5.0mm)







3. Measurement Results Return Loss






Radiation Pattern










4.Reliability and Test Condictions


| ITEM | REQUIREMENTS | TEST CONDITION |
|-------------------------|---|--|
| Solderability | Wetting shall exceed 90% coverage No visible mark priced demonstrates | Pre-heating temperature:150°C/60sec. |
| | 2. No visible mechanical damage | Solder temperature:230±5°C |
| | TEMP (°C) | Duration:4±1sec. |
| | | Solder:Sn-Ag3.0-Cu0.5 |
| | 230°C 4±1 sec. | Flux for lead free: rosin |
| | 45000 | |
| | 150°C | |
| | 60sec | |
| | | |
| Solder heat | No visible mechanical damage | Pre-heating temperature:150°C/60sec. |
| Resistance | 2. Central Freq. change :within ± 6% | Solder temperature:260±5℃ |
| | TEMP (℃) | Duration:10±0.5sec. |
| | 10+0.5 soc | Solder:Sn-Ag3.0-Cu0.5 |
| | 260°C 10±d.3 sec. | Flux for lead free: rosin |
| | 150℃ | |
| | 1300 | N/L |
| | 60sec | 150 |
| | | |
| Component | No visible mechanical damage | The device should be reflow |
| Adhesion (Push test) | | soldered(230±5°C for 10sec.) to a tinned |
| (* 2211 1223) | | copper substrate A dynometer force gauge should be applied the side of the |
| | | component. The device must with-ST-F |
| | | 0.5 Kg without failure of the termination |
| | X | attached to component. |
| Component | No visible mechanical damage | Insert 10cm wire into the remaining open |
| Adhesion | (-\ .\.\) | eye bend ,the ends of even wire lengths |
| (Pull test) | /_ / | upward and wind together. |
| | Ž, N | Terminal shall not be remarkably damaged. |
| Thermal shock | No visible mechanical damage | +110°C=>30±3min |
| THEITIAI SHOCK | | -40°C =>30±3min |
| | 2. Central Freq. change :within ±6% | Test cycle:10 cycles |
| | Phase Temperature(°C) Time(min) | The chip shall be stabilized at normal |
| | 1 +110±5°C 30±3 | condition for 2~3 hours before |
| | 2 Room Within | measuring. |
| | Temperature 3sec | |
| | 3 -40±2°C 30±3 | |
| | 4 Room Within | |
| | Temperature 3sec | |
| Resistance to | 1. No visible mechanical damage | Temperature: +110±5°C |
| High | 2. Central Freq. change :within ±6% | Duration: 1000±12hrs |
| Temperature | 3. No disconnection or short circuit. | The chip shall be stabilized at normal |
| | 3. No disconnection of short circuit. | condition for 2~3 hours before |
| | | measuring. |
| Resistance to | No visible mechanical damage | Temperature:-40±5°C |
| Low | 2. Central Freq. change :within ±6% | Duration: 1000±12hrs |
| Temperature | 3. No disconnection or short circuit. | The chip shall be stabilized at normal |
| | | condition for 2~3 hours before |
| Humidity | 1 No visible mechanical damage | measuring. Temperature: 40±2°C |
| Turniuity | 1. No visible mechanical damage | Humidity: 90% to 95% RH |
| | 2. Central Freq. change :within ±6% | Duration: 1000±12hrs |
| | 3. No disconnection or short circuit. | The chip shall be stabilized at normal |
| | | |
| | | condition for 2~3 hours before |



5. Soldering and Mounting

Mildly activated rosin fluxes are preferred. The minimum amount of solder can lead to damage from the stresses caused by the difference in coefficients of expansion between solder, chip and substrate. The terminations are suitable for all wave and re-flow soldering systems. If hand soldering cannot be avoided, the preferred technique is the utilization of hot air soldering tools.





Recommended temperature profiles for re-flow soldering in Figure 1.


Products attachment with a soldering iron is discouraged due to the inherent process control limitations. In the event that a soldering iron must be employed the following precautions are recommended.

- Preheat circuit and products to 150°C
- Never contact the ceramic with the iron tip
- Use a 20 wattsoldering iron with tip diameter of 1.0mm
- 280° (tip temperature (max))
- 1.0mm tip diameter (max)
- Limit soldering time to 3 sec.



6.Packaging Information

Tape Specification:



| Tape Width(mm) | A(mm) | B(mm) | C(mm) | D(mm) | Chip/Reel(pcs) |
|----------------|---------|-------|----------|-------|----------------|
| 8 | 9.0±0.5 | 60±2 | 13.5±0.5 | 178±2 | 3000 |



7. Storage and Transportation Information

Storage Conditions

To maintain the solderability of terminal electrodes:

- 1. Temperature and humidity conditions: -10~ 40°C and 30~70% RH.
- 2. Recommended products should be used within 6 months from the time of delivery.
- 3. The packaging material should be kept where no chlorine or sulfur exists in the air.

Transportation Conditions

The vale the little

- Products should be handled with care to avoid damage of contamination from perspiration and skin oils.
- 2. The use of tweezers or vacuum pick up is strongly recommended for individual components.
- 3. Bulk handling should ensure that abrasion and mechanical shock are minimized.